Product Test Guide SC-SE-I6-AM6-T02

05-04-2021

Model Name SENSOPER SC-SE-I6-AM6-T02

Product Type Programmable Controller

Manufacturer SENSOPER CONTROLS LLC

Country of Origin Sri Lanka

Certifications EN 61131-2:2007

EN 61010-1:2010+A1:2019 EN IEC 61010-2-201:2018 2014/30/EU- Electromagnetic

Compatibility (EMC)

Annex III, Part B, Module C

Table of Contents

Title	Page	? <i> </i>	Vo
INTRODUCTION	10 0 0	1	
TABLE OF TESTING INSTRUCTIONS		2	
		3	
		4	
		5	

Introduction

This guide is intended to test the features and the basic operation of the device, SENSOPER SC-SE-I6-AM6-T02 (Current model).



Features

- 24V Sink/Source Digital Inputs x 8
- 4-20mA Analog Inputs x 6
- Open Collector Transistor Outputs x 2
- RS-485 Communication x 1
- 0.96' OLED Display
- 3 Built-in Push Buttons
- Micro SD card Support
- DS3231 RTC with battery

<u>Table of Test Instructions</u>

**Flash the test code firmware before testing the device. Follow the instructions given in the <u>Guide to Flash the Test Code Firmware</u> guide, to flash the binary code.

Testing component/ feature	Test	Expected Output/Outputs
Power	Provide 24V DC supply.	• The red LED inside the device glows.
		• Display turns on.
Display,Memory card & RTC	Power-up the device using USB cable or 24V DC supply.	• Display starts with the SENSOPER logo.
		 Device model is displayed.
		 RTC status is displayed.
		 Memory card status is displayed.
		 Final screen with Input, Output and Push Button status appears.
		 The output side LED indicators glow in a pattern.

SC-SE-I6-AM6-T02 2 of 5

		1
Digital Inputs	 Power-up the device using 24V DC supply. Connect the GND & COM pins and supply the 24V DC to every digital input one by one. 	 Refer to the expected outputs of the Display Check above. In the input status, status of all the 8 digital inputs will be 1.(As the inputs are internally pulled up) The input status changes from 1 to 0, and the input side LED indicator starts to
		glow accordingly.
Current Inputs and Transistor Outputs	1. Power-up the device using 24V DC supply.	 Status of all the 6 analog inputs will be 0. Toggling output status (from 0 to 1) is observed on the display for the 2 transistor outputs, which follows the output side LED indicator blinking pattern. Whenever these LEDs are on, it means the respective transistor is on.

SENSOPER CONTROLS LLC
SC-SE-I6-AM6-T02
3 of 5

Current Inputs 2. After powering up the • On the display, the and Transistor device, to check the current sensed by the **Outputs** working of the 6 SENSOPER device is (continued..) analog (current) displayed.(You can confirm these current inputs, supply a current between values using a 4-20mA to each multimeter.) current input. (Check this link for the wire connection) • The multimeter shows a 3. To check the working of the 2 transistors, 24V DC reading, a voltage test is whenever the done using a transistor is multimeter.To do on.(Transistor status this, keep the is indicated by the positive probe of the respective output side multimeter on the LED indicator and the +24V pin of the output status on the device. display) Next touch the negative probe with the 2 transistor output pins after, one by one after a 15s gap. Push Buttons Press the 3 push buttons, • The 4 digit analog one at a time. status of the push button is displayed accordingly on the display. *** Analog status 1_ _ _ for the upper button Analog status 2_ _ _ for the middle button Analog status 3_ _ _ for the lower button

SENSOPER CONTROLS LLC
SC-SE-I6-AM6-T02
4 of 5

RS-485 Communication

For this test, a USB to RS-485 converter is required.

- 1. Connect the RS-485 A and B pins of the SENSOPER device with the respective A and B pins of the USB to RS-485 converter.
- 2. Plug the USB end of the USB to RS-485 converter to the PC.
- Power-up the SENSOPER device using USB Cable.
- 4. Open the Arduino IDE application.
- Select the correct COM port of the USB to RS-485 converter in Arduino IDE and open the serial Monitor.
- Send the Number '5' in the serial monitor.

 In the serial monitor "RS485 SUCCESS" statement getting printed is observed.

> This indicates that the RS-485's **Tx** operation is working properly in the SENSOPER device.

 Once number "5" is received, all the output side LED indicators will glow simultaneously for a few seconds. Then later they'll continue to glow in their previous pattern.

> This indicates that the RS-485's **RX** operation is working properly in the SENSOPER device.